



COMPANY PROFILE

PT. STAR TEC PACIFIC

Automotive & Electrical Terminal Manufacturing
And
Trade of Wire Harness Component

(021) - 8934782 

company@startecpacific.com 

www.s-tec-pacific.com 


kasawasn Industri
Jababeka Raya Blok K
NO 1 F-H, Cikarang -
Bekasi 17530

IATF USI : PCZWXF



vision

we as terminal electric automotive specialist have a commitment to keep maintain even updating and improve better quality, due to achieve International standard requirement. Be the Indepent and largest supplier especially in ASEAN. Generate optimum profit and wealty for stakeholders.

IATF 16949 : 2016 CERTIFICATE



CERTIFICATE OF REGISTRATION

This is to certify that the management system of:

PT. Star Tec Pacific

Jababeka Industrial Estate, Block K No 1G-H, Cikarang Utara, Bekasi
Jawa Barat 17530 INDONESIA

has been registered by Intertek as conforming to the requirements of:

IATF 16949:2016

The management system is applicable to:

The manufacture of electrical terminals.

Permissible exclusions include: Product design.

IATF Certificate Number:
0391134

Certificate Number:
2022-0067

Certificate Issue Date:
15 March 2021 (Revised: 23 August 2022)

Certificate Expiry Date:
14 March 2024



Callin Moldoveanu
President, Business Assurance

Intertek – 4700 Broadmoor, Suite 200,
Kentwood MI 49512, USA



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone. The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-IATF-16949-2016-IATF-EN-A4-13.may.21-with appendix

Page 1 of 2



ABOUT THE COMPANY

REGISTERED NAME

PT. STAR TEC PACIFIC

INCORPORATION

5th MAY 1995

PAID UP CAPITAL

Rp. 44 billion

SHAREHOLDERS

Individual Shareholders – Indonesia 74%
PT. Naga Pacific – Indonesia 24%
Mr. Tadao Maura – Japan 2%

OFFICE / FACTORY ADDRESS

Jababeka Industrial Estate Blk K/1 G-H
Cikarang, Bekasi, Indonesia 17530
Telp: (021) – 8934782–83 Fax: (021) – 8934781
Email : company@startecpacific.com
Website : www.s-tec-pacific.com

BOARD OF DIRECTOR

- Pohandi Djammilah (President)
- Tadao Maura

EMPLOYEE

73 PERSON

ACTIVITIES

Manufacturing Terminals For Automobile And Motorcycle Parts And Home Appliance Utilizing High Precision Progressive Dies.
At Present The Products Are Delivered To Wireharness Companies.

PRODUCTION CAPACITY

100,000,000 PCS/MONTH

BANK

OCBC NISP

COMPANY HISTORY

1995

MAY : The company was Established with the name PT. Sumiko Tec Pacific and capital of US\$1,200,000

JUNE : Trial Production

AUGUST : Commercial Production Started With 3 Units Of Press Machines

1996

AUGUST : Additional 2 units of press m/c install totaling 5 units

SEPTEMBER : Paid up capital increased of US\$2,600,000 to be US\$3,800,000

OCTOBER : 2 shifts started

NOVEMBER : Shipment to Japan started

1997

MAY : Building expansion

AUGUST : Bought next door property

1998 **MARCH** : Connector Assembly Started

1999 **APRIL** : Connector Assembly Expanded and Transferred to the next door property

2001 **MEI** : Connector Assembly Closed

2002 **SEPTEMBER** : Company obtained QS 9000

: Company through local main distributor penetrated to Asia market

2003 **JANUARY** : 55% Shares of Sumiko Tec Co.,ltd Sold to PT.Naga Pacific and Trico Australia Co.,ltd

: Company Name was Changed from PT. Sumiko Tec Pacific To PT. STAR TEC PACIFIC

2005 **MAY** : Company change QS 9000 to be ISO/TS16949-2002

2007 **JULY** : 74% Shares of PT.Naga Pacific Sold to Starz Holding BVI

2% Shares of trico Australia Co.,ltd Sold To Mr. Tadao Maura

2008 **JUNE** : Company Up-graded ISO/TS16949-2002 to be ISO/TS16949-2009

2009 : Additional 1 unit of press m/c install totaling 6 units

2011 : Additional 3 units of press m/c install totaling 9 units

2018 : Additional 1 units of press m/c install totaling 10 units

2019 : Additional 1 units of press m/c install totaling 11 units

ORGANIZATION CHART

**Board
Of Commissioner**

**Board
Of Director**

**Production
Division**

**Admin
Division**

**Quality
Division**

QMR

**Dies &
Maint**

Stamping

PPIC

Inspection


**Internal
Quality Audit**

**HRD &
GA**

**Purchasing &
administ**

Fin & Acc

EXIM



FINISHED GOODS



Finished Good Area



"Finished Good" Loading



Manually Loading

Customer :

- A. PT. Cipta Mandiri Wirasakti – Indonesia
- B. PT. Delta Tecno Pacific – Indonesia
- C. Hason Tech. & Trading Co., Ltd – Vietnam
- D. Cas CR Co.,Ltd – Thailand
- E. PT. Asahi BEST BASE INDONESIA – Indonesia
- F. PT. Ewindo – Indonesia
- G. PT. Dharma Elektrindo Manufacturing – Indonesia

RAW MATERIAL AND SUPPLIES



"Raw Material" Handling

OUR RAW MATERIAL SUPPLIERS :

- **Siam Poongsan Metal Co.,LTD – Thailand**
- **OHGITANI TAIWAN Co.,LTD – Taiwan**

MAINTENANCE



Maintenance Room



Grinding Machine



Maintenance Activity



Profile Projector



Dies



Inspection

LABORATORY



Vibration IMV



Voltage Drop Tester



Vibration IMV



Pry Durability Tester



**Temperatur
Rising Chamber**



**Auto Insert & With Draw
Forced Tester**



**Prog. Temperatur &
Humidity**



**Rain Chamber
Tester**



Electrome Tensile Tester



Tensil Strenght Tester



Oil Bath



**Low Voltage & Low Current
Resistance Tester**



**High & Low Temp.
Testing Chamber**



Dust Chamber



**Thermal Shock
Chamber**

LABORATORY



Leakage Current Tester



Ozone Aging Chamber



Sealing Ability Tester



Vibration Tester



**Puncture/Insulation Tester
(High Voltage Tester)**

QUALITY CONTROL



**Mitutoyo Measuring
Microscope**



**Keyence Dimension
Measuring System**



Digital Microscope BC 3609



Testing



Inspection



Inspection



Test-stand



Microscope



Profile Projector

PRODUCTION



PRODUCTION ROOM



PRESS MACHINE AIDA



PRESS MACHINE XUANG XIANG



**PRESS MACHINE
DOBBY α 30**

OUR MACHIINE SPECIFICATIONS :

A : 7 unit merk Yamada Dobby a 30 capacity : 30 tons

SPM : 150 – 800 Stroke/minute

Die Height: 215mm

Stroke Length: 30mm

B : 1 Unit Merk Aida

Capacity : 45 tons

SPM : 150-2500 stroke/minute

Die Height: 230mm

Stroke Length: 20mm

C: 1 Unit Merk Yamada Dobby Basic

Capacity : 30 tons

SPM : 150-800 stroke/minute

Die Height: 215mm

Stroke Length: 30mm

D. 1 Unit Merk Yamada Dobby MXM

Capacity : 60 tons

SPM : 150-800 stroke/minute

Die Height: 215mm

Stroke Length: 30mm

E : 1 Unit Merk Xuang Xiang

Capacity : 60 tons

SPM : 150-800 stroke/minute

Die Height: 215mm

Stroke Length: 30mm



PRESS MACHINE BASIC













PRESS MACHINE DOBBY MXM










LIST OF TERMINAL PRODUCT

[illegible]









LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		RING TERMINAL									
		150600	0	1.25 ~ 2.0	Brass	0,8	Ø5.4	25	10		
		150700	0	2.0 ~ 3.0	Brass	0,8	Ø5.4	25	10		
		EARTH TERMINAL - L6									
		156016	0,2M	3.0 ~ 5.0	Brass	0,80	Ø6.6	32,0	14,0	14,0	
		156026	0,2M	1.25 ~ 2.0	Brass	0,80	Ø6.6	32,0	14,0	14,0	
		156036	0,2M	0.5 ~ 0.75	Brass	0,80	Ø6.6	32,0	14,0	14,0	
		EARTH TERMINAL - 6R									
		156015	0,2M	3.0 ~ 5.0	Brass	0,80	Ø6.6	32,0	14,0	14,0	
		156025	0,2M	1.25 ~ 2.0	Brass	0,80	Ø6.6	32,0	14,0	14,0	
		156025	0,2M	0.5 ~ 0.75	Brass	0,80	Ø6.6	32,0	14,0	14,0	
		RING TERMINAL									
		160600	0	1.25 ~ 2.0	Brass	0,8	Ø6.4	26	12		
		160700	0	2.0 ~ 3.0	Brass	0,8	Ø6.4	26	12		
		FLAT 2.3 TAB									
		209011	2M		Brass	0,64		24,5	4,7	3,9	
		FLAT 2.3 TAB									
		209031	2M		Brass	0,64		16,0	8,5	3,5	
		110 FLAT TAB for multi poles									
		211011	0,2M	0.75 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211011	0A-S	0.75 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211031	0*,2M**	0.3	Brass	0.50		20.4	2.79	12.0	
		211051	0*,2M**	0.3 ~ 0.5	Brass	0.50		20.4	2.79	12.0	
		* 211011-0A * 211011-0A-S side type ** Ordering No.: 211031-0-A, 211031-2MA									
		110 FLAT REC for multi poles									
		211012	0,2M	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.3	
		211412	0**,2M**	0.2 ~ 0.35	Brass	0.25		15.4	3.7	6.3	
		* 211012-0A, 211012-2MA ** Ordering No.: 211412-0A, 211412-2MA									
		110 FLAT TAB for single pole									
		211021	2	0.5 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211041	2*	0.2 ~ 0.35	Brass	0.50		20.4	2.79	12.0	
		* Ordering No.: 211041-2A									










LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		110 FLAT REC for single pole									
		211022	0*, 2, 2M*	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.3	(Mating)
		211032	0, 2, 2M	0.2 ~ 0.35	Brass	0.25		15.4	3.7	6.3	Tab t0.5
		(UL No. E98924: 211022-2, 211032-2 AWG#22) * Ordering No.: 211022-0A, 211022-2MU									
		110 FLAT REC for single pole									
		211026	0*, 2	0.5~1.25	Brass	0.25		15.4	3.7	6.12	(Mating)
		211028	0, 2M	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.12	Tab t0.5
		187 FLAT REC with window for single pole									
		218732	0, 2	0.5 ~ 1.25	Brass	0.32		15.0	5.6	6.35	TAB t0.5
		218742	0, 2	0.3 ~ 0.5	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		218752	0, 2	0.5 ~ 0.75	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		218762	0, 2	0.5 ~ 1.25	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		187 FLAG									
		218784	0,2M	0.5 ~ 0.85	Brass	0.45		12.0	5.6	6.5	
		Flat 187 FF for single pole									
		2187FF	3M	-	Cooper Alloy	0.30		16.4	5.75	6.5	
		FLAT 187 REC									
		2187RS	3M	0.5 ~ 0.75	Cooper Alloy	0.30		20.3	5.75	16.3	
		2187RM	3M	0.75 ~ 1.25	Cooper Alloy	0.30		20.3	5.75	16.3	
		205 FLAT REC with window for single poles									
		220552	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.8
		220554	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.5
		220556	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.52
		205 TAB with lanch for multipole									
		220581	0, 2M	0.3 ~ 0.75	Brass	0.40		26.6	5.2	13.6	TAB t 0.8
		FLAT 250 FF for single pole									
		2225RS	0	0.3 ~ 0.5	Brass	0.30		20.7	6.2	8.0	
		2225RM	0	0.75 ~ 2.0	Brass	0.30		20.7	6.2	8.0	










LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		FLAT 250 FF for single pole									
		2250FF	3M	-	Cooper Alloy	0.32		16.4	7.75	6.8	
		FLAT 250 REC									
		2250RM	3M	0.5 ~ 1.25	Cooper Alloy	0.32		19.2	7.75	7.75	
		2250RL	3M	2.0 ~ 3.0	Cooper Alloy	0.32		19.2	7.75	7.75	
		250 FLAT TAB with lanch for multi pole									
		225011	0, 2	0.75 ~ 2.0	Brass	0.40	2.0	24.4	6.08	13.85	TAB t 0.8
		225311	0, 2M	2.0 ~ 3.0	Brass	0.40	2.0	24.4	6.08	13.85	TAB t 0.8
		225411	0, 2M	0.3 ~ 0.5	Brass	0.40	2.0	24.4	6.08	13.85	TAB t 0.8
		250 FLAT with lance REC for multi poles									
		225012	0, 2M	0.5 ~ 2.0	Brass	0.32		19.4	7.5	7.75	
		225312	0, 2M	2.0 ~ 3.0	Brass	0.32		19.4	7.5	7.75	
		225412	0, 2M	0.3 ~ 0.5	Brass	0.32		19.4	7.5	7.75	
		250 FLAT lance-less REC for multi poles									
		225022	0, 2	0.3 ~ 0.5	Brass	0.32		19.4	7.5	7.75	
		225402	0, 2M	0.3 ~ 0.5	Brass	0.32		19.4	7.5	7.75	
		225502	0, 2M	0.5 ~ 2.0	Brass	0.32		19.4	7.5	7.75	
		225902	0, 2M	3.0	Brass	0.32		19.4	7.5	7.75	
		*225022 with dimple									
		250 TAB									
		225031-0A	0		Brass	0.8		17	17.1		
		250 FLAT REC with window for single pole									
		225032	0, 2	0.75 ~ 2.0	Brass	0.43		19.3	7.6	7.8	(Mating)
		225432	0, 2	0.3 ~ 0.75	Brass	0.43		19.3	7.6	7.8	TAB t 0.8
		250 TAB									
		225041	0		Brass	0.80		18.00	7.90	13.50	
		250 FLAG									
		225354	0, 2	0.5 ~ 1.25	Brass	0.45		14.0	8.1	7.8	
		250 FLAG REC RIGHT									
		225356R	0	0.75 ~ 2.0	Brass	0.45		16.4	7.9	7.8	










LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		250 FLAT TAB lanch less for single pole									
		225401	0, 0N, 2M	0.3 ~ 0.5	Brass	0.40		24.4	6.00	14.0	TAB t 0.8
		225501	0, 0N, 2M	0.5 ~ 2.0	Brass	0.40		24.4	6.00	14.0	TAB t 0.8
		315 TAB									
		231501	2M	0.75~1.25	Brass	0.40		32.4	9.2	12.5	
		231511	2M	2.0~3.0	Brass	0.40		32.4	9.2	12.5	
		8.0 FEMALE									
		231502	3M	0.5 ~ 1.25	Cooper alloy	0.4		23.4	9.2	7.9	
		231512	3M	2.0 ~ 3.0	Cooper alloy	0.4		23.4	9.2	7.9	
		231522	3M	5.0 ~ 8.0	Cooper alloy	0.4		23.4	9.2	7.9	
		350 FLAT TAB									
		235051	0	3.0 ~ 8.0	Brass	0.40		29.65	7.80	15.00	
		350 FLAT REC									
		235042	0, 2M	1.25 ~ 2.0	Brass	0.40		24.30	9.00	12.30	
		235052	0, 2M	3.0 ~ 5.0	Brass	0.40		24.30	9.00	12.30	
		Ø4 GIBOSHI PLUG									
		300401	0, 2	0.5 ~ 0.75	Brass	0.48		12.90	3.51	7.00	
		300411	0, 2	0.5 ~ 2.0	Brass	0.48		16.30	3.50	7.80	
		Ø4 GIBOSHI REC									
		300402	0, 2	0.5 ~ 0.75	Brass	0.40		17.60	4.50	6.50	
		Ø4 GIBOSHI REC									
		300412	0, 2	0.75 ~ 2.0	Brass	0.40		17.80	3.50	6.50	
		Ø5 GIBOSHI PLUG									
		300501	0, 2	0.5 ~ 2.0	Brass	0.50		17.30	3.96	8.80	
		300541	0, 2	0.2 ~ 0.33	Brass	0.50		17.3	3.96	8.8	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		Ø5 GIBOSHI REC									
		300502	0, 2, 2M	0.5 ~ 2.0	Brass	0.40		17.60	4.70	6.50	
		300542	0	0.2 ~ 0.33	Brass	0.40		17.6	4.7	6.5	
		SHORE PLUG W REC									
		320412	0, 2	0.75 ~ 1.25	Brass	0.30		22.00	10.00	4.00	
		320512	0, 2	0.75 ~ 1.25	Brass	0.30		22.00	10.60	4.30	
		FUSE TANSI									
		365801	0A	0.75 ~ 1.25	Brass	0.30		18.03	6.65	6.92	
		FUSE TANSI									
		365874	0	0.75 ~ 1.25	Brass	0.45		16.82	7.15	6.90	
		BUTTON CONTACT									
		400400	0, 2M	0.5 ~ 0.75	Brass	0.40		10.00	4.60	1.6	
		400412	0	0.3 ~ 0.75	Brass	0.40		10.00	4.60	1.7	
		400313	0, 2M	0.5 ~ 0.75	Brass	0.40		9.94	4.60	1.6	
		TERMINAL SPOT WELD									
		410400	0, 2M	0.85 ~ 1.25	Brass	0.50		12.20	Ø4.5		
		WEDGE CONTACT									
		425064	0	0.3 ~ 0.75	Brass	0.40		15.40	4.90	9.30	
		425067	0	0.3 ~ 0.75	Brass	0.40		13.10	4.80	7.50	
		WEDGE CONTACT									
		425065	0	0.5 ~ 1.25	Brass	0.40		15.60	4.30	9.50	
		WEDGE CONTACT									
		425066	0	0.5 ~ 1.25	Brass	0.32		17.10	5.25	12.30	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		WEDGE CONTACT									
		425300	0	0.5 ~ 1.25	Brass	0.40		17.50	5.10	11.20	
		WEDGE CONTACT									
		N431501	PS0A	0.3 ~ 0.75	Brass	0.30		12.56	5.50	6.72	
		WEDGE CONTACT									
		431502	PS0A	0.3 ~ 0.75	Brass	0.30		12.56	5.50	6.72	
		SPLICE									
		553800	0, 2M	1.0~2.5	Brass	0.4		8.3	3.8	5.0	
		565200	0, 2M	2.5~5.5	Brass	0.5		9.3	5.2	6.0	
		SPLICE									
		576500	0, 2M	5.0 ~ 8.0	Brass	0.60		7.1			
		110 REC									
		604132	0,2M,0A	0.3 ~ 0.5	Brass	0.25		15.60	4.10	7.00	
		604152	0,2M,0A	0.5 ~ 0.75	Brass	0.30		15.60	4.10	7.00	
		090 TAB									
		609011	2MA	0.5 ~ 1.25	Brass	0.30		26.85	2.20	8.0	
		609311	2MA	0.75 ~ 1.25	Brass	0.30		26.85	2.30	8.0	
		609411	2MA	0.5 ~ 0.75	Brass	0.30		26.85	2.20	8.0	
		090 REC									
		609012	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609312	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609412	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609512	2MA	0.3 ~ 0.5	Brass	0.25		16.55	3.00	6.85	

LIST OF TERMINAL PRODUCT

[illegible]

MOTTO

Good System Support Good Quality



Please Contact Us :

FOR LOCAL NETWORK:

PT. NAGA PACIFIC

**DANAU SUNTER BARAT BLOK A2
NO 14 KEL. SUNTER AGUNG KEC.
TANJUNG PRIUK, JAKARTA
UTARA, JAKARTA, ZIP CODE:
14350**

Telp: (021) 6508873/74

Fax: (021) 6506614

E-mail: sales@nagapacific.com

Website: www.nagapacific.com

FOR WORLD WIDE NETWORK:

PT. STAR TEC PACIFIC

**JABABEKA INDUSTRIAL ESTATE
BLOCK K / 1 G-H, CIKARANG
BEKASI, INDONESIA, ZIP CODE: 17530
Telp: (021) 8934782/83**

E-mail: maura@startecpacific.com

Website: s-tec-pacific.com