



CATALOG PRODUCT PT. STAR TEC PACIFIC

Automotive & Electrical Terminal Manufacturing
And
Trade of Wire Harness Component

(021) - 8934782 





















company@startecpacific.com 

www.s-tec-pacific.com 



kasawasn Industri
Jababeka Raya Blok K
NO 1 F-H, Cikarang -
Bekasi 17530

IATF USI : PCZWXF



















LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		110 FLAT Tab for single pole									
		100322	0	0.5 ~ 0.85	Brass	0.30		18.2	2.2	14.0	
		110 FLAT Tab for single pole									
		100325	0	0.5 ~ 2.0	Brass	0.30		23.1	2.2	14.0	
		TERMINAL BATTERY									
		100788	0, 2	3.0 ~ 5.0	Brass	1.00	Ø5.5	37.3	9.00		
		100789	0, 2	5.0 ~ 8.0	Brass	1.20	Ø5.5	40.5	9.00		
		TERMINAL BATTERY									
		100790	2M	5.0 ~ 8.0	Cooper Alloy	1.20	Ø5.4	21.2	14.90		
		TERMINAL BATTERY									
		100791	2M	5.0 ~ 8.0	Cooper Alloy	1.20	Ø6.5	28.60	13.50		
		RING TERMINAL									
		101730	0,2	3.0 ~ 5.0	Brass	0.60	Ø6.4	24.00	12.00	9.40	
		101830	0,2	0.75 ~ 1.25	Brass	0.60	Ø6.4	24.00	12.00	9.40	
		101930	0,2	2.0 ~ 3.0	Brass	0.60	Ø6.4	24.00	12.00	9.40	
		RING TERMINAL									
		110500	0,0S,2M	0.75 ~ 2.0	Brass	0.60	Ø5.4	24.0	12.0	18.00	
		110600	0,2	0.5 ~ 2.0	Brass	0.60	Ø6.4	24.0	12.0	18.00	
		112900	0,2	5.0 ~ 8.0	Brass	1.00	Ø6.4	29.00	11.90	23.00	
		RING TERMINAL									
		115294	0, 2	0.5 ~ 1.25	Brass	0.50	Ø2.95	16.5	6.5	13.25	
		115304	0, 2	0.5 ~ 1.25	Brass	0.50	Ø3.2	16.5	6.5	13.25	
		115324	0, 2	0.5 ~ 1.25	Brass	0.60	Ø3.3	19.6	8.0	15.60	
		115325	2	0.2 ~ 0.35	Brass	0.50	Ø3.2	16.5	6.5	13.25	
		RING TERMINAL									
		115374	0, 2	0.5 ~ 1.25	Brass	0.50	Ø3.7	16.5	6.5	13.25	
		115404	0, 2	0.5 ~ 1.25	Brass	0.50	Ø4.3	16.5	6.5	13.25	
		115425	0, 2	0.2 ~ 0.35	Brass	0.50	Ø4.3	16.5	6.5	13.25	
		115900	0, 2	5.0 ~ 8.0	Brass	1.00	Ø5.4	27.0	10.0	22.00	
		RING TERMINAL									
		130600	0S, 2S	5.0 ~ 8.0	Brass	1.00	Ø6.4	29.00	12.00	23.00	
		130600	0Y	5.0 ~ 8.0	Brass	1.00	Ø6.4	29.00	11.90	23.00	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm ²)	Material	Thick-ness	D	L	W	E	Remark
		RING TERMINAL									
		150600	0	1.25 ~ 2.0	Brass	0.8	Ø5.4	26	12		
		150700	0	2.0 ~ 3.0	Brass	0.8	Ø5.4	26	12		
		EARTH TERMINAL - L6									
		156016	0,2M	3.0 ~ 5.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156026	0,2M	1.25 ~ 2.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156036	0,2M	0.5 ~ 0.75	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		EARTH TERMINAL - 6R									
		156015	0,2M	3.0 ~ 5.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156025	0,2M	1.25 ~ 2.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156025	0,2M	0.5 ~ 0.75	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		RING TERMINAL									
		160600	0	1.25 ~ 2.0	Brass	0.8	Ø6.4	26	12		
		160700	0	2.0 ~ 3.0	Brass	0.8	Ø6.4	26	12		
		FLAT 2.3 TAB									
		209011	2M		Brass	0.64		24.5	4.7	3.9	
		FLAT 2.3 TAB									
		209031	2M		Brass	0.64		16.0	8.5	3.5	
		110 FLAT TAB for multi poles									
		211011	0,2M	0.75 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211011	0A-S	0.75 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211031	0*,2M**	0.3	Brass	0.50		20.4	2.79	12.0	
		211051	0*,2M**	0.3 ~ 0.5	Brass	0.50		20.4	2.79	12.0	
		* 211011-0A		* 211011-0A-S side type		** Ordering No.: 211031-0-A, 211031-2MA					
		110 FLAT REC for multi poles									
		211012	0,2M	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.3	
		211412	0**,2M**	0.2 ~ 0.35	Brass	0.25		15.4	3.7	6.3	
				* 211012-0A, 211012-2MA		** Ordering No.: 211412-0A, 211412-2MA					
		110 FLAT TAB for single pole									
		211021	2	0.5 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211041	2*	0.2 ~ 0.35	Brass	0.50		20.4	2.79	12.0	
				* Ordering No.: 211041-2A							

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		110 FLAT REC for single pole									
		211022	0*, 2, 2M*	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.3	(Mating)
		211032	0, 2, 2M	0.2 ~ 0.35	Brass	0.25		15.4	3.7	6.3	Tab t0.5
		(UL No. E98924: 211022-2, 211032-2 AWG#22) * Ordering No.: 211022-0A, 211022-2MU									
		110 FLAT REC for single pole									
		211026	0*, 2	0.5~1.25	Brass	0.25		15.4	3.7	6.12	(Mating)
		211028	0, 2M	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.12	Tab t0.5
		(UL No. E98924: 211026-2, 211028-2 AWG#22) * Ordering No.: 211026-0A, 211026-2MU									
		187 FLAT REC with window for single pole									
		218732	0, 2	0.5 ~ 1.25	Brass	0.32		15.0	5.6	6.35	TAB t0.5
		218742	0, 2	0.3 ~ 0.5	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		218752	0, 2	0.5 ~ 0.75	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		218762	0, 2	0.5 ~ 1.25	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		187 FLAG									
		218784	0,2M	0.5 ~ 0.85	Brass	0.45		12.0	5.6	6.5	
		(UL No. E98924: 218784-2 AWG#22) * Ordering No.: 218784-0A, 218784-2MU									
		Flat 187 FF for single pole									
		2187FF	3M	-	Cooper Alloy	0.30		16.4	5.75	6.5	
		FLAT 187 REC									
		2187RS	3M	0.5 ~ 0.75	Cooper Alloy	0.30		20.3	5.75	16.3	
		2187RM	3M	0.75 ~ 1.25	Cooper Alloy	0.30		20.3	5.75	16.3	
		205 FLAT REC with window for single poles									
		220552	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.8
		220554	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.5
		220556	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.52
		205 TAB with lanch for multipole									
		220581	0, 2M	0.3 ~ 0.75	Brass	0.40		26.6	5.2	13.6	TAB t 0.8
		(UL No. E98924: 220581-2 AWG#22) * Ordering No.: 220581-0A, 220581-2MU									
		FLAT 250 FF for single pole									
		2225RS	0	0.3 ~ 0.5	Brass	0.30		20.7	6.2	8.0	
		2225RM	0	0.75 ~ 2.0	Brass	0.30		20.7	6.2	8.0	

















LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thickness	D	L	W	E	Remark
		FLAT 250 FF for single pole									
		2250FF	3M	-	Cooper Alloy	0.32		16.4	7.75	6.8	
		FLAT 250 REC									
		2250RM	3M	0.5 ~ 1.25	Cooper Alloy	0.32		19.2	7.75	7.75	
		2250RL	3M	2.0 ~ 3.0	Cooper Alloy	0.32		19.2	7.75	7.75	
		250 FLAT TAB with lanch for multi pole									
		225011	0, 2	0.75 ~ 2.0	Brass	0.40	2.0	24.4	6.08	13.85	TAB t 0.8
		225311	0, 2M	2.0 ~ 3.0	Brass	0.40	2.0	24.4	6.08	13.85	TAB t 0.8
		225411	0, 2M	0.3 ~ 0.5	Brass	0.40	2.0	24.4	6.08	13.85	TAB t 0.8
		250 FLAT with lance REC for multi poles									
		225012	0, 2M	0.5 ~ 2.0	Brass	0.32		19.4	7.5	7.75	
		225312	0, 2M	2.0 ~ 3.0	Brass	0.32		19.4	7.5	7.75	
		225412	0, 2M	0.3 ~ 0.5	Brass	0.32		19.4	7.5	7.75	
		250 FLAT lance-less REC for multi poles									
		225022	0, 2	0.3 ~ 0.5	Brass	0.32		19.4	7.5	7.75	
		225402	0, 2M	0.3 ~ 0.5	Brass	0.32		19.4	7.5	7.75	
		225502	0, 2M	0.5 ~ 2.0	Brass	0.32		19.4	7.5	7.75	
		225902	0, 2M	3.0	Brass	0.32		19.4	7.5	7.75	
*225022 with dimple											
		250 TAB									
		225031-0A	0		Brass	0.8		17	17.1		
		250 FLAT REC with window for single pole									
		225032	0, 2	0.75 ~ 2.0	Brass	0.43		19.3	7.6	7.8	(Mating)
		225432	0, 2	0.3 ~ 0.75	Brass	0.43		19.3	7.6	7.8	TAB t 0.8
		250 TAB									
		225041	0		Brass	0.80		18.00	7.90	13.50	
		250 FLAG									
		225354	0, 2	0.5 ~ 1.25	Brass	0.45		14.0	8.1	7.8	
		250 FLAG REC RIGHT									
		225356R	0	0.75 ~ 2.0	Brass	0.45		16.4	7.9	7.8	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		250 FLAT TAB lanch less for single pole									
		225401	0, 0N, 2M	0.3 ~ 0.5	Brass	0.40		24.4	6.00	14.0	TAB t 0.8
		225501	0, 0N, 2M	0.5 ~ 2.0	Brass	0.40		24.4	6.00	14.0	TAB t 0.8
		315 TAB									
		231501	2M	0.75~1.25	Brass	0.40		32.4	9.2	12.5	
		231511	2M	2.0~3.0	Brass	0.40		32.4	9.2	12.5	
		8.0 FEMALE									
		231502	3M	0.5 ~ 1.25	Cooper alloy	0.4		23.4	9.2	7.9	
		231512	3M	2.0 ~ 3.0	Cooper alloy	0.4		23.4	9.2	7.9	
		231522	3M	5.0 ~ 8.0	Cooper alloy	0.4		23.4	9.2	7.9	
		350 FLAT TAB									
		235051	0	3.0 ~ 8.0	Brass	0.40		29.65	7.80	15.00	
		350 FLAT REC									
		235042	0, 2M	1.25 ~ 2.0	Brass	0.40		24.30	9.00	12.30	
		235052	0, 2M	3.0 ~ 5.0	Brass	0.40		24.30	9.00	12.30	
		Ø4 GIBOSHI PLUG									
		300401	0, 2	0.5 ~ 0.75	Brass	0.48		12.90	3.51	7.00	
		300411	0, 2	0.5 ~ 2.0	Brass	0.48		16.30	3.50	7.80	
		Ø4 GIBOSHI REC									
		300402	0, 2	0.5 ~ 0.75	Brass	0.40		17.60	4.50	6.50	
		Ø4 GIBOSHI REC									
		300412	0, 2	0.75 ~ 2.0	Brass	0.40		17.80	3.50	6.50	
		Ø5 GIBOSHI PLUG									
		300501	0, 2	0.5 ~ 2.0	Brass	0.50		17.30	3.96	8.80	
		300541	0, 2	0.2 ~ 0.33	Brass	0.50		17.3	3.96	8.8	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		WEDGE CONTACT									
		425300	0	0.5 ~ 1.25	Brass	0.40		17.50	5.10	11.20	
		WEDGE CONTACT									
		N431501	PS0A	0.3 ~ 0.75	Brass	0.30		12.56	5.50	6.72	
		WEDGE CONTACT									
		431502	PS0A	0.3 ~ 0.75	Brass	0.30		12.56	5.50	6.72	
		SPLICE									
		553800	0, 2M	1.0~2.5	Brass	0.4		8.3	3.8	5.0	
		565200	0, 2M	2.5~5.5	Brass	0.5		9.3	5.2	6.0	
		SPLICE									
		576500	0, 2M	5.0 ~ 8.0	Brass	0.60		7.1			
		110 REC									
		604132	0,2M,0A	0.3 ~ 0.5	Brass	0.25		15.60	4.10	7.00	
		604152	0,2M,0A	0.5 ~ 0.75	Brass	0.30		15.60	4.10	7.00	
		090 TAB									
		609011	2MA	0.5 ~ 1.25	Brass	0.30		26.85	2.20	8.0	
		609311	2MA	0.75 ~ 1.25	Brass	0.30		26.85	2.30	8.0	
		609411	2MA	0.5 ~ 0.75	Brass	0.30		26.85	2.20	8.0	
		609511	2MA	0.3 ~ 0.5	Brass	0.30		26.85	2.30	8.0	
		090 REC									
		609012	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609312	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609412	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609512	2MA	0.3 ~ 0.5	Brass	0.25		16.55	3.00	6.85	

MOTTO

Good System Support Good Quality



Please Contact Us :

FOR LOCAL NETWORK:

PT. NAGA PACIFIC

**DANAU SUNTER BARAT BLOK A2
NO 14 KEL. SUNTER AGUNG KEC.
TANJUNG PRIUK, JAKARTA
UTARA, JAKARTA, ZIP CODE:
14350**

Telp: (021) 6508873/74

Fax: (021)6506614

E-mail: sales@nagapacific.com

Website: www.nagapacific.com

FOR WORLD WIDE NETWORK:

PT. STAR TEC PACIFIC

**JABABEKA INDUSTRIAL ESTATE
BLOCK K / 1 G-H, CIKARANG
BEKASI, INDONESIA, ZIP CODE: 17530
Telp: (021) 8934782/83**

E-mail: maura@startecpacific.com

Website: s-tec-pacific.com